



## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/072,567	-02/08/2002	Naroun Soun	BSI-480US	1958
75	90 02/23/2006		EXAM	INER
Christopher R. Lewis			BUI, VY Q	
Ratner & Prestia			ART UNIT	PAPER NUMBER
Suite 301, One Westlakes, Berwyn P.O. Box 980				- THE ENTITION DEAT
	DA 10/82 0080		3731	
Valley Forge, PA 19482-0980			DATE MAILED: 02/23/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
Supplemental		
Notice of Allowability	10/072,567 Examiner	SOUN ET AL. Art Unit
, total of or national may	Lammer	Arcome
	Vy Q. Bui	3731
The MAILING DATE of this communication appeall claims being allowable, PROSECUTION ON THE MERITS IS nerewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIP of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apport or other appropriate communication GHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
2. ☑ The allowed claim(s) is/are <u>2-29 and 40-44</u> .		
3. ☑ The drawings filed on <u>26 April 2002</u> are accepted by the Ex	xaminer.	
4. Acknowledgment is made of a claim for foreign priority unall All b) Some* c) None of the:  1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply IENT of this application.	complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINER es reason(s) why the oath or declara	'S AMENDMENT or NOTICE OF tion is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") mus  (a) including changes required by the Notice of Draftspers  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Paper No./Mail Date  Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in to the depo	son's Patent Drawing Review (PTO- s Amendment / Comment or in the C .84(c)) should be written on the drawing the header according to 37 CFR 1.121(	Office action of ngs in the front (not the back) of d).
attached Examiner's comment regarding REQUIREMENT	FOR THE DEPOSIT OF BIOLOGIC	AL MATERIAL.
Attachment(s)		Detaut Application (DTO 450)
1. Notice of References Cited (PTO-892)	<u> </u>	Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da	te
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li> </ol>	08), 7. ☐ Examiner's Amenda	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛭 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.  Other	
		j/2

Application/Control Number: 10/072,567

Art Unit: 3731

## SUPPLEMENTAL NOTICE OF ALLOWANCE

The following is an examiner's statement of reasons for allowance: the prior art reference has failed to disclose or suggest a braided modular stent comprising a first component and a second component, each component comprising an hourglass-shaped interface, each hourglass shaped interface comprising a reduced diameter section positioned between two sloped sections, each sloped section extending between the reduced diameter section and one of a plurality of nominal diameter sections, the reduced diameter section is constructed to have a greater radial strength than the nominal diameter sections.

Claims 1 and 30-39 have been canceled.

Claims 2-29 and 40-44 are allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vy Q. Bui whose telephone number is 571-272-4692. The examiner can normally be reached on Monday-Tuesday and Thursday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anhtuan T. Nguyen can be reached on 571-272-4963. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3731

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Vy Q. Bui

01/26/2006

Primary Examiner Art Unit 3731